

**Der trockene Mund**

**Prof. Dr. Carolina Ganß, Prof. Dr. Nadine Schlüter**

**Literatur**

- [1] Dawes C., Pedersen A. M., Villa A., Ekström J., Proctor G. B., Vissink A., Aframian D. J., McGowan R., Aliko A., Narayana N., Sia Y. W., Joshi R. K., Jensen S. B., Kerr A. R., Wolff A.: The functions of human saliva: A review sponsored by the World Workshop on Oral Medicine VI. *Arch Oral Biol* 60, 863-874 (2015).
- [2] Orellana M. F., Lagravère M. O., Boychuk D. G., Major P. W., Flores-Mir C.: Prevalence of xerostomia in population-based samples: a systematic review. *J Public Health Dent* 66, 152-158 (2006).
- [3] Thomson W. M., Poulton R., Broadbent M. J., Al-Kubaisy S.: Xerostomia and medications among 32-year-olds. *Acta Odontol Scand* 64, 249-254 (2006).
- [4] Proctor G. B., Carpenter G. H.: Salivary secretion: mechanism and neural regulation. *Monogr Oral Sci* 24, 14-29 (2014).
- [5] Schoenmakers T. W., Teichert M., Wensing M., de Smet P. A.: Evaluation of potentially drug-related patient-reported common symptoms assessed during clinical medication reviews: A cross-sectional observational study. *Drug Saf* 40, 419-430 (2017).
- [6] Villa A., Wolff A., Narayana N., Dawes C., Aframian D. J., Lynge Pedersen A. M., Vissink A., Aliko A., Sia Y. W., Joshi R. K., McGowan R., Jensen S. B., Kerr A. R., Ekström J., Proctor G.: World Workshop on Oral Medicine VI: a systematic review of medication-induced salivary gland dysfunction. *Oral Dis* 22, 365-382 (2016).
- [7] Saleh J., Figueiredo M. A., Cherubini K., Salum F. G.: Salivary hypofunction: an update on aetiology, diagnosis and therapeutics. *Arch Oral Biol* 60, 242-255 (2015).
- [8] Häussler B., Höer A., de Milas C. (Hrsg): *Arzneimittel-Atlas 2016*. ISBN-978-3-95466-288-3.
- [9] Knopf H., Grams D.: *Arzneimittelanwendung von Erwachsenen in Deutschland*. *Bundesgesundheitsbl* 56, 868-877 (2013).
- [10] *Verbreitung von Krebserkrankungen in Deutschland. Entwicklung der Prävalenzen zwischen 1990 und 2010. Beiträge zur Gesundheitsberichterstattung des Bundes.*, [RKI, Berlin, 2010].

- [11] Pinna R., Campus G., Cumbo E., Mura I., Milia E.: Xerostomia induced by radiotherapy: an overview of the physiopathology, clinical evidence, and management of the oral damage. *Ther Clin Risk Manag* 11, 171-188 (2015).
- [12] Høxbroe Michaelsen S., Grønhøj C., Høxbroe Michaelsen J., Friborg J., von Buchwald J.: Quality of life in survivors of oropharyngeal cancer: A systematic review and meta-analysis of 1366 patients. *Eur J Cancer* 78, 91-102 (2017).
- [13] Delli K., Spijkervet F. K., Kroese F. G., Bootsma H., Vissink A.: Xerostomia. *Monogr Oral Sci* 24, 109-125 (2014).
- [14] Vitali C., Bombardieri S., Jonsson R., Moutsopoulos H. M., Alexander E. L., Carsons S. E., Daniels T. E., Fox P. C., Kassan S. S., Pillemer S. R., Talal N., Weisman M. H., European Study Group on Classification Criteria for Sjögren's Syndrome: Classification criteria for Sjögren's syndrome: a revised version of the European criteria proposed by the American-European Consensus Group. *Ann Rheum Dis* 61, 554-558 (2002).
- [15] Sung J. M., Kuo S. C., Guo H. R., Chuang S. F., Lee S. Y., Huang J. J.: Decreased salivary flow rate as a dipsogenic factor in hemodialysis patients: evidence from an observational study and a pilocarpine clinical trial. *J Am Soc Nephrol* 16, 3418-3429 (2005).
- [16] Thomson W. M., Chalmers J. M., Spencer A. J., Ketabi M.: The occurrence of xerostomia and salivary gland hypofunction in a population-based sample of older South Australians. *Spec Care Dentist* 19, 20-23 (1999).
- [17] van der Putten G. J., Brand H. S., Schols J. M., de Baat C.: The diagnostic suitability of a xerostomia questionnaire and the association between xerostomia, hyposalivation and medication use in a group of nursing home residents. *Clin Oral Investig* 15, 185-192 (2011).
- [18] Thomson W. M., Williams S. M.: Further testing of the xerostomia inventory. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 89, 46-50 (2000).
- [19] Hey J., Seidel J., Schweyen R., Paelecke-Habermann Y., Vordermark D., Gernhardt C., Kuhnt T.: The influence of parotid gland sparing on radiation damages of dental hard tissues. *Clin Oral Investig* 17, 1619-1625 (2013).
- [20] Vissink A., Van Luijk P., Langendijk J. A., Coppes R. P.: Current ideas to reduce or salvage radiation damage to salivary glands. *Oral Dis* 21, e1-e10 (2015).
- [21] Both T., Dalm V. A., van Hagen P. M., van Daele P. L.: Reviewing primary Sjögren's syndrome: beyond the dryness - From pathophysiology to diagnosis and treatment. *Int J Med Sci* 14, 191-200 (2017).
- [22] Bots C. P., Brand H. S., Veerman E. C., Valentijn-Benz M., Van Amerongen B. W., Nieuw Amerongen A. V., Valentijn R. M., Bijlsma J. A., Bezemer P. D., ter Wee P. M.: The management of xerostomia in patients on haemodialysis:

comparison of artificial saliva and chewing gum. *Palliat Med* 19, 202-207 (2005).

- [23] Davies A. N., Thompson J.: Parasympathomimetic drugs for the treatment of salivary gland dysfunction due to radiotherapy. *Cochrane Database Syst Rev* CD003782. doi: 10.1002/14651858.CD003782.pub3. (2015).
- [24] Deutsche Gesellschaft für Rheumatologie e.V. Empfehlungen zur supportiven Therapie des Sjögren-Syndroms. <https://dgrh.de> (Zugriff 12.9.2017)
- [25] Vijayan A., Asha M. L., Babu S., Chakraborty S.: To evaluate the effectiveness of transcutaneous electrical nerve stimulation (TENS) delivered using an extra-oral device in patients with radiation-induced xerostomia. *Clin Oncol* 26, 743-747 (2014).
- [26] Dyasnoor S., Kamath S., Khader N. F. A.: Effectiveness of electrostimulation on whole salivary flow among patients with type 2 diabetes mellitus. *Perm J* 21 (2017).
- [27] Konidena A., Sharma D., Puri G., Dixit A., Jatti D., Gupta R.: Effect of TENS on stimulation of saliva in postmenopausal women with or without oral dryness - An interventional study. *J Oral Biol Craniofac Res* 6, S44-S50 (2016).
- [28] Furness S., Worthington H. V., Bryan G., Birchenough S., McMillan R.: Interventions for the management of dry mouth: topical therapies. *Cochrane Database Syst Rev* doi: 10.1002/14651858.CD008934.pub2. (2011).
- [29] Meyer-Lückel H., Schulte-Mönting J., Kielbassa A. M.: The effect of commercially available saliva substitutes on predemineralized bovine dentin in vitro. *Oral Dis* 8, 192-198 (2002).
- [30] Wolff A., Joshi R. K., Ekström J., Aframian D. J., Pedersen A. M., Proctor G., Narayana N., Villa A., Sia Y. W., Aliko A., McGowan R., Kerr A. R., Jensen S. B., Vissink A., Dawes C.: A guide to medications inducing salivary gland dysfunction, xerostomia, and subjective sialorrhea: a systematic review sponsored by the World Workshop on Oral Medicine VI. *Drugs R D* 17, 1-28 (2017).