

**Periimplantitis: von der Diagnose zur Therapie  
Ein neues Behandlungsprotokoll mit Pulverstrahlssystemen**

DDS Magda Mensi, DDS Annamaria Sordillo

**Literatur**

- [1] Albrektsson T, Zarb G, Worthington P, Eriksson AR. The long-term efficacy of currently used dental implants: A review and proposed criteria of success. *Int J Oral Maxillofac Implants*, 1986;1:11–25.
- [2] Berglundh T, Zitzmann N. U., Donati M. Are peri-implantitis lesions different from periodontitis lesions? *Journal of Clinical Periodontology*, 2011;38:188–202. doi:10.1111/j.1600-051X.2010.01672.x
- [3] Bhole R, Bhole SM, Mishra B, Olson DL. Corrosion in titanium dental implants/prostheses - a review. *Trends Biomater Artif Organs*, 2011;25(1),34–46.
- [4] Buchter A, Meyer U, Kruse-Losler B, Joos U, Kleinheinz J. Sustained release of doxycycline for the treatment of peri-implantitis: randomised controlled trial. *Br J Oral Maxillofac Surg*, 2004;42: 439–444.
- [5] Bühler J, Amato M, Weiger R, Walter C. A systematic review on the effects of air polishing devices on oral tissues. *Int J Dent Hygiene* 2015. DOI:10.1111/idh.12120.
- [6] Derks J, Tomasi C. Peri-implant health and disease. A systematic review of current epidemiology. *Journal of Clinical Periodontology* 2015;42:158–71.
- [7] Drago L , Del Fabbro M, Bortolin M, Vassena C, De Vecchi E, Taschieri S. Biofilm removal and antimicrobial activity of two different air-polishing powders: an in vitro study. *J Periodontol* 2014; Nov;85(11):e363–9. doi: 10.1902/jop.2014.140134. Epub 2014 Jul 25.
- [8] Esposito M, Grusovin MG, Tzanetza E, Piattelli A, Worthington HV. Interventions for replacing missing teeth: treatment of perimplantitis. *Cochrane Database of Systematic Reviews*, 2010; Issue 6. Art. No.: CD004970. DOI: 10.1002/14651858.CD004970.pub4.
- [9] Figuero E, Graziani F, Sanz I, Herrera D, Sanz M. Management of peri-implant mucositis and peri-implantitis. *Periodontol* 2000, 2014;66: 255–273. doi:10.1111/prd.12049.
- [10] Fox SC, Moriarty JD, Kusy RP. The Effects of Scaling a Titanium Implant Surface With Metal and Plastic Instruments: An in Vitro Study. *J Perio*, 1990;61(8):485–490 doi: 10.1902/jop.1990.61.8.485.

- [11] Fretwurst T, Buzanich G, Nahles S, Woelber JP, Riesemeier H, Nelson K. Metal elements in tissue with dental peri-implantitis: a pilot study. *Clin Oral Impl Res* 2016;27:1178–1186 doi: 10.1111/clar.12718.
- [12] Heitz-Mayfield LJA. Peri-implant diseases: diagnosis and risk indicators. *J Clin Periodontol* 2008;35(Suppl. 8):292–304. doi: 10.1111/j.1600-051X.2008.01275.x.
- [13] Jepsen S, Berglundh T, Genco R, Aass AM, Demirel K, Derks J, Figuero E, Giovannoli JL, Goldstein M, Lambert F, Ortiz-Vigon A, Polyzois I, Salvi GE, Schwarz F, Serino G, Tomasi C, Zitzmann NU. Primary prevention of peri-implantitis: managing peri-implant mucositis. *J Clin Periodontol*, 2015;42(Suppl. 16):S152–S157. doi: 10.1111/jcpe.12369.
- [14] Lang NP, Berglundh T on Behalf of Working Group 4 of the Seventh European Workshop on Periodontology: Periimplant diseases: where are we now? – Consensus of the Seventh European Workshop on Periodontology. *J Clin Periodontol*, 2011;38(Suppl.11):178–181. doi: 10.1111/j.1600-051X.2010.01674.x.
- [15] Louropoulou A, Slot DE, van der Weijden F. Titanium surface alterations following the use of different mechanical instruments: a systematic review. *Clin Oral Impl Res* 2012;23: 643–658.
- [16] Louropoulou A, Slot DE, Van der Weijden F. The effects of mechanical instruments on contaminated titanium dental implant surfaces: a systematic review. *Clin Oral Impl Res*, 2014;25:1149–1160 doi: 10.1111/clar.12224.
- [17] Louropoulou A, Slot DE, Van der Weijden F. Influence of mechanical instruments on the biocompatibility of titanium dental implants surfaces: a systematic review. *Clin Oral Impl Res*, 2015;841–850. doi: 10.1111/clar.12365.
- [18] Mombelli A, Feloutzis A, Brägger U, Lang NP. Treatment of peri-implantitis by local delivery of tetracycline. Clinical, microbiological and radiological results. *Clin Oral Impl Res* 2001;12: 287–294.
- [19] Obando-Pereda GA, Fischer L, Stach-Machado DR. Titanium and zirconia particle-induced pro-inflammatory gene expression in cultured macrophages and osteolysis, inflammatory hyperalgesia and edema in vivo. *Life Science*, 2014;97:96–106.
- [20] Porras R, Anderson GB, Caffesse R, Narendran S, Trejo PM. Clinical response to 2 different therapeutic regimens to treat peri-implant mucositis. *J Perio*, 2002;73, 1118–1125.
- [21] Quirynen M, Abarca M, Van Assche N, Nevins M, van Steenberghe D. Impact of supportive periodontal therapy and implant surface roughness on implant outcome in patients with a history of periodontitis. *Journal Clin Periodontol*, 2007;34:805–815.

- [22] Renvert S, Lessem J, Dahlén G, Lindahl C, Svensson M. Topical minocycline microspheres versus topical chlorhexidine gel as an adjunct to mechanical debridement of incipient peri-implant infections: a randomized clinical trial. *J Clin Periodontol* 2006;33:362–369. doi: 10.1111/j.1600-051X.2006.00919.x.
- [23] Renvert S, Polyzois IN. Clinical approaches to treat peri-implant mucositis and peri-implantitis. *Perio 2000*, 2015;68(1):369–404.
- [24] Ronay V, Merlini A, Attin T, Schmidlin PR, Sahrman P. In vitro cleaning potential of three implant debridement methods. Simulation of the non-surgical approach. *Clin Oral Impl Res* 2016;00:1–6 doi: 10.1111/clr.12773.
- [25] Sahm N, Becker J, Santel T, Schwarz F. Non-surgical treatment of peri-implantitis using an air-abrasive device or mechanical debridement and local application of chlorhexidine: a prospective, randomized, controlled clinical study. *J Clin Periodontol* 2011;38: 872–878.
- [26] Salvi GE, Lang NP. Diagnostic parameters for monitoring peri-implant conditions. *Int J Oral Maxillofac Implants* 2004;19(suppl):116–127.
- [27] Sanz M, Chapple IL, on behalf of Working Group 4 of the VIII European Workshop on Periodontology. Clinical research on peri-implant diseases: consensus report of Working Group 4. *J Clin Periodontol* 2012;39(Suppl. 12):202–206. doi: 10.1111/j.1600-051X.2011.01837.x.
- [28] Schmage P, Thielemann J, Nergiz I, Scorziello TM, Pfeiffer P. Effects of 10 cleaning instruments on four different implant surfaces. *The International Journal of Oral & Maxillofacial Implants* 2012;27: 308–317.
- [29] Schmidt KE, Ausschill TM, Heumann C, Frankenberger R, Eick S, Sculean A, Arweiler NB. Influence of different instrumentation modalities on the surface characteristics and biofilm formation on dental implant neck, in vitro. *Clin Oral Impl Res* 2016;00:1–8.
- [30] Schwarz F, Schmucker A, Becker J. Efficacy of alternative or adjunctive measures to conventional treatment of peri-implant mucositis and peri-implantitis: a systematic review and meta-analysis. *Int J Implant Dent*. 2015 Dec;1(1):22. Epub 2015 Aug 13.
- [31] Schwarz F, Becker K, Renvert S. Efficacy of air polishing for the non-surgical treatment of peri-implant diseases: a systematic review. *J Clin Periodontol* 2015;42:951–959. doi:10.1111/jcpe.12454.
- [32] Serino G, Turri A, Lang NP. Probing at implants with peri-implantitis and its relation to clinical peri-implant bone loss. *Clin Oral Impl Res* 2013;24:91–95 doi: 10.1111/j.1600-0501.2012.02470.x.
- [33] Sundfeldt M, Carlsson LV, Johansson CB, Thomsen P, Gretzer C. Aseptic loosening, not only a question of wear: a review of different theories. *Acta Orthopaedica* 2006;77:177–197.